



# CITISTAT FIRE DEPARTMENT

Acting Department Head: CARL E. MCDONALD

Date Appoint:

Assistant Chief (Administration): Michael E. Dalton

Acting Assistant Chief (Operations): Donald W. Heinbuch

Acting Assistant Chief (Planning and Technical Service): Michael S. Kernan



PERSONNEL	FY2001	FY2002	FY2002	% Change	ANNUAL BUDGET	EXPEND-		
	BUDGET	BUDGET	FILLED			FY2002	TO-DATE*	%
Administration	30	31	26		Administration	\$1,861,177	\$310,956	16.7%
Training	13	14	14		Training	\$1,109,630	\$182,217	16.4%
Operations	1,416	1,418	1,365		Fire Suppression	\$81,699,136	\$14,020,628	17.2%
Fire Marshal	37	37	34		Fire Marshal	\$2,574,566	\$424,336	16.5%
Support Services	6	6	2		Support Services	\$5,484,622	\$474,053	8.6%
Fire Alarm & Comm.	56	51	44		Fire Alarm & Comm.	\$3,881,670	\$791,616	20.4%
EMS General Fund	172	173	155		Ambulance Services - GF	\$8,292,248	\$1,590,284	19.2%
EMS Special Fund	24	24	23		Ambulance Services - SF	\$5,646,968	\$123,001	2.2%
					N/actuarial Retire. Ben.	\$283,000	\$34,893	12.3%

\*Expenditures - August 2001

## PERSONNEL DATA

	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	07/18-07/31	08/01-08/14	08/15-08/28	08/29-09/11		Average	Minimum	Maximum	Total	Periods
<b>OVERTIME (HOURS)</b>	5,530	4,301	4,821	5,831	21.0%	6686.6	2941.5	11215.7	167164.1	25
Administration	183	126	135	140	4.1%	171.0	111.0	300.5	4274.5	25
Training	289	30	31	30	-3.2%	177.6	30.0	444.0	4440.5	25
Fire Suppression	4,554	3,550	4,044	5,086	25.8%	5726.8	2141.5	10219.2	143170.3	25
Fire Marshal	81	121	160	164	2.5%	141.0	47.0	300.0	3525.3	25
Support Services	121	21	8	13	62.5%	36.3	0.0	121.0	907.0	25
Fire Alarm & Comm.	302	453	443	398	-10.2%	433.8	274.0	678.0	10846.0	25
<b>UNSCHED. LEAVE (DAYS)</b>	1	0	2	0	-100.0%	5.4	0.0	20.0	134.2	25
Administration	1	0	2	0	-100.0%	1.7	0.0	8.0	43.2	25
Training	0	0	0	0	0.0%	3.6	0.0	20.0	90.0	25
Fire Suppression	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	25
Fire Marshal	0	0	0	0	0.0%	0.0	0.0	1.0	1.0	25
Support Services	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	25
Fire Alarm & Comm.	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	25
EMS Staff	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	25
<b>"A" TIME (DAYS)</b>	292	312	251	246	-2.0%	280.0	219.0	339.5	7001.0	25
Administration	0	0	0	0	0.0%	0.3	0.0	2.0	6.5	25
Training	6	10	0	0	0.0%	0.6	0.0	10.0	16.0	25
Fire Suppression	278	302	251	246	-2.0%	277.1	208.0	338.0	6928.5	25
Fire Marshal	8	0	0	0	0.0%	2.0	0.0	15.0	50.0	25
Support Services	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	25
Fire Alarm & Comm.	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	25
EMS Staff	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	25
<b>LIGHT DUTY (DAYS)</b>	98	87	110	123	11.8%	151.3	87.0	277.0	3783.0	25
Administration	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	25
Training	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	25
Fire Suppression	98	87	110	123	11.8%	149.6	87.0	277.0	3740.0	25
Fire Marshal	0	0	0	0	0.0%	0.7	0.0	7.0	18.0	25
Support Services	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	25
Fire Alarm & Comm.	0	0	0	0	0.0%	0.2	0.0	4.0	4.0	25
EMS Staff	0	0	0	0	0.0%	0.8	0.0	10.0	21.0	25
<b>SICK (DAYS)</b>	390	424	366	409	11.7%	109.2	0.0	424.0	2730.5	25
Administration	1	2	2	5	150.0%	0.6	0.0	5.0	15.0	25
Training	10	9	0	0	0.0%	0.8	0.0	10.0	19.0	25
Fire Suppression	371	382	343	395	15.2%	104.5	0.0	395.0	2612.0	25
Fire Marshal	0	5	11	2	-81.8%	0.8	0.0	11.0	20.0	25
Support Services	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	25
Fire Alarm & Comm.	8	24	10	7	-30.0%	2.5	0.0	24.0	62.5	25
EMS Staff	0	2	0	0	0.0%	0.6	0.0	9.0	14.0	25



**CITISTAT**  
Employee Absentee Worksheet

**REPORTING PERIOD: AUGUST 29, 2001 THROUGH SEPTEMBER 11, 2001**

	EMPLOYEES	REQUIRED WORK- DAYS	PRE-APP SICK	NON- SCHED SICK	SICK BANK	SICK X	X-TIME (UNAP- PROVED)	"A" TIME	PERMISS	VAC.	PERSONAL LEAVE	USED COMP TIME	FAMILY LEAVE	X- PERMISS	TOTAL
Administration	35	350	5.0	0.0	0.0	0.0	0.0	0.0	0.0	11.5	0.0	18.0	0.0	0.0	34.5
Training	14	120	0.0	0.0	0.0	0.0	0.0	0.0	1.0	14.5	0.0	0.0	0.0	0.0	15.5
Operations	1,418	7,975	0.0	395.0	0.0	0.0	11.0	246.0	220.0	1,557.0	2.0	8.0	34.0	79.0	2,552.0
Fire Marshal	37	289	2.0	2.0	0.0	0.0	0.0	0.0	13.0	30.0	0.5	8.5	0.0	0.0	56.0
Support Services	3	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	0.0	0.0	0.0	0.0	8.0
Fire Alarm & Comm.	49	408	0.0	7.0	0.0	0.0	0.0	0.0	2.0	43.0	0.5	1.0	0.0	2.0	55.5
EMS Staff	18	148	0.0	0.0	0.0	0.0	0.0	0.0	1.0	19.0	0.0	10.0	6.0	0.0	36.0
<b>TOTALS</b>	<b>1,578</b>	<b>9,320</b>	<b>7.0</b>	<b>404.0</b>	<b>0.0</b>	<b>0.0</b>	<b>11.0</b>	<b>246.0</b>	<b>237.0</b>	<b>1,683.0</b>	<b>3.0</b>	<b>45.5</b>	<b>40.0</b>	<b>81.0</b>	<b>2,757.5</b>

**REPORTING PERIOD: AUGUST 15, 2001 THROUGH AUGUST 28, 2001**

	EMPLOYEES	REQUIRED WORK- DAYS	PRE-APP SICK	NON- SCHED SICK	SICK BANK	SICK X	X-TIME (UNAP- PROVED)	"A" TIME	PERMISS	VAC.	PERSONAL LEAVE	USED COMP TIME	FAMILY LEAVE	X- PERMISS	TOTAL
Administration	35	350	4.0	2.0	0.0	0.0	0.0	0.0	2.0	19.0	1.9	18.2	0.0	5.0	52.1
Training	14	120	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.0	0.0	0.0	0.0	0.0	12.0
Operations	1,418	7,975	0.0	343.0	0.0	0.0	10.0	251.0	193.0	1,631.0	17.0	10.3	46.0	75.0	2,576.3
Fire Marshal	37	305	6.0	11.0	0.0	0.0	0.0	0.0	10.0	48.5	0.5	6.0	0.0	0.0	82.0
Support Services	3	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	2.0
Fire Alarm & Comm.	49	408	0.0	10.0	0.0	0.0	0.0	0.0	0.0	76.0	0.0	1.0	0.0	1.0	88.0
EMS Staff	18	148	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.0	0.0	2.5	2.0	0.0	26.5
<b>TOTALS</b>	<b>1,578</b>	<b>9,336</b>	<b>10.0</b>	<b>366.0</b>	<b>0.0</b>	<b>0.0</b>	<b>10.0</b>	<b>251.0</b>	<b>205.0</b>	<b>1,808.5</b>	<b>19.4</b>	<b>40.0</b>	<b>48.0</b>	<b>81.0</b>	<b>2,838.9</b>

**PERSONNEL DEPARTMENTS**

**Support Services** - Support Services includes the Fire Apparatus Coordinator, the Assistant Fire Apparatus Coordinator and the Acting Fire Supply Coordinator. The total of employees for Support Services is three (3).

**Operations** - includes the fire suppression forces, paramedics, and operations staff personnel.  
Note that paramedics work a shift schedule and are carried on payrolls of suppression units such as engine companies or truck.

**EMS Staff** - includes personnel in the Medical Bureau office and EMS Supervisors who work a shift schedule. These personnel are carried on the "Medical Bureau" payroll.



**CITISTAT**  
**Daily Callback Report**

**REPORTING PERIOD: AUGUST 29, 2001 THROUGH SEPTEMBER 11, 2001**

	WEDNESDAY 8/29/2001	THURSDAY 8/30/2001	FRIDAY 8/31/2001	SATURDAY 9/1/2001	SUNDAY 9/2/2001	MONDAY 9/3/2001	TUESDAY 9/4/2001	TOTALS
Day	12	12	21	23	8	7	2	85
Night	4	6	16	20	27	22	11	106
<b>TOTALS</b>	<b>16</b>	<b>18</b>	<b>37</b>	<b>43</b>	<b>35</b>	<b>29</b>	<b>13</b>	<b>191</b>

	WEDNESDAY 9/5/2001	THURSDAY 9/6/2001	FRIDAY 9/7/2001	SATURDAY 9/8/2001	SUNDAY 9/9/2001	MONDAY 9/10/2001	TUESDAY 9/11/2001	TOTALS
Day	11	7	10	30	32	11	11	112
Night	17	14	18	21	24	22	25	141
<b>TOTALS</b>	<b>28</b>	<b>21</b>	<b>28</b>	<b>51</b>	<b>56</b>	<b>33</b>	<b>36</b>	<b>253</b>
							Total - Day	197
							Total -Night	247
							<b>GT</b>	<b>444</b>



## CITISTAT

REPORTING PERIOD: AUGUST 29, 2001 THROUGH SEPTEMBER 11, 2001

## SUMMARY INDICATORS

	FY99 YEAR-END	FY2000 YEAR-END	FY2001			
			FY2001 (July - Sept.)	FY2001 (Oct. - Dec.)	FY2001 (Jan. - March)	FY2001 (April - June)
<b>FIRE SUPPRESSION</b>						
<b>911 Fire Suppression Service Calls</b>	<b>67132</b>	<b>76934</b>	<b>18091</b>	<b>18472</b>	<b>18049</b>	<b>19550</b>
<b>Residential Structure Fires</b>	<b>2056</b>	<b>1942</b>	<b>496</b>	<b>624</b>	<b>538</b>	<b>533</b>
Private Dwellings	1526	1465	380	444	390	387
Apartments	477	446	113	169	135	139
Others	53	31	3	11	13	7
<b>Non-Residential Structure Fires</b>	<b>723</b>	<b>737</b>	<b>176</b>	<b>180</b>	<b>161</b>	<b>176</b>
Public Assembly	82	97	18	13	12	10
Schools & Colleges	71	77	9	19	15	16
Health Care & Penal Institutions	33	25	10	13	9	19
Stores & Offices	98	100	21	23	23	22
Vacant Structure	175	158	70	67	56	62
Others	264	280	48	45	46	47
<b>Total Structure Fires</b>	<b>2779</b>	<b>2679</b>	<b>672</b>	<b>804</b>	<b>699</b>	<b>709</b>
<b>Non-Structure Fires</b>	<b>3619</b>	<b>3146</b>	<b>879</b>	<b>983</b>	<b>737</b>	<b>1113</b>
Vehicles	799	966	289	252	218	273
Area Outside of Structures	140	139	51	47	30	51
Brush, Grass, Wildland	939	607	91	248	217	308
Trash, Rubbish, Dumpsters	1691	1402	443	423	262	468
Others	50	32	5	13	10	13
<b>HAZMAT Incidents</b>	<b>92</b>	<b>64</b>	<b>22</b>	<b>25</b>	<b>17</b>	<b>24</b>
<b>Mutual Aid Incidences</b>	<b>464</b>	<b>591</b>	<b>137</b>	<b>79</b>	<b>76</b>	<b>107</b>
Provided	162	137	40	23	23	26
Received	302	454	97	56	53	81
<b>False (Malicious) Alarms</b>	<b>4071</b>	<b>4532</b>	<b>1244</b>	<b>1188</b>	<b>1118</b>	<b>1329</b>
Suppression	1484	1330	432	408	311	363
EMS	2587	3202	812	780	807	966
<b>Private Alarms</b>	<b>5076</b>	<b>6241</b>	<b>1608</b>	<b>1652</b>	<b>1362</b>	<b>1437</b>
EMS	403	598	130	159	143	154
Suppression-Residential	1688	2071	519	549	456	439
Suppression-Commercial	2985	3572	959	944	763	844
<b>Average Response Times</b>						
1st Arriving Unit	0:03:48	0:04:02	0:03:50	0:03:53	0:03:59	0:03:48
First Alarm	N/A	N/A	N/A	N/A	N/A	N/A



## CITISTAT

REPORTING PERIOD: AUGUST 29, 2001 THROUGH SEPTEMBER 11, 2001

## SUMMARY INDICATORS

	FY2001					
	FY99 YEAR-END	FY2000 YEAR-END	FY2001 (July - Sept.)	FY2001 (Oct. - Dec.)	FY2001 (Jan. - March)	FY2001 (April - June)
<b>FIRE DEATHS</b>						
<b>Civilian Deaths</b>	<b>23</b>	<b>23</b>	<b>(FY00-6) 8</b>	<b>(FY00-4) 4</b>	<b>7</b>	<b>3</b>
0 - 18	2	8	4	1	1	0
19 - 35	3	6	1	0	0	1
36 - 59	4	8	3	3	3	1
60 +	14	1	0	0	3	1
<b>Firefighter Deaths</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Arson-Related Fire Deaths</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>
<b>Residential Structure Fire Deaths</b>	<b>22</b>	<b>21</b>	<b>8</b>	<b>3</b>	<b>7</b>	<b>3</b>
<b>Non-Residential Structure Fire Deaths</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>
<b>Other Fire Deaths</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Fire Deaths Occurring in Structures with Working Smoke Detector</b>	<b>9</b>	<b>5</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>2</b>
<b>Fire Deaths Occurring in Structure without a Working Smoke Detector</b>	<b>14</b>	<b>18</b>	<b>8</b>	<b>3</b>	<b>6</b>	<b>1</b>

	FY2001					
	FY99 YEAR-END	FY2000 YEAR-END	FY2001 (July - Sept.)	FY2001 (Oct. - Dec.)	FY2001 (Jan. - March)	FY2001 (April - June)
<b>EMERGENCY MEDICAL SERVICES</b>						
<b>911 EMS Service Calls</b>	113,384	115,799	29,884	28,148	27,884	30,411
<b>Runs</b>	113,384	115,799	29,884	28,148	27,884	30,411
<b>Runs that Resulted in EMS Transport</b>	76,005	78,402	19,846	19,749	19,942	21,492
Advanced Life Support (ALS)	111,974	110,795	29,343	27,976	27,712	30,159
Basic Life Support (BLS) Red Alert	1,410	5,004	541	172	172	252
<b>% Runs that Resulted in EMS Transport</b>	67.03%	67.71%	66.41%	70.16%	71.51%	70.67%
<b>Suppression Ambulance Assist Runs</b>	47,616	48,611	11,569	11,240	11,466	12,819
<b>Response Times</b>						
EMS Units	N/A	0:07:34	0:07:35	0:07:28	0:07:30	0:07:26
Suppression Ambulance Assists	N/A	0:03:58	0:03:56	0:03:57	0:03:59	0:03:57
<b>Runs that Resulted in an EMS Billing</b>	N/A	72,856	17,776	18,112	18,250	19,888
<b>% Runs that Resulted in an EMS Billing</b>	N/A	62.92%	59.48%	64.35%	65.45%	65.40%
<b>EMS Billings (\$)</b>	N/A	\$18,202,600	\$4,442,500	\$4,527,500	\$4,562,400	\$4,972,000
<b>EMS Revenue Collected</b>	N/A	\$4,564,256	\$1,525,286	\$1,658,751	\$1,697,136	\$1,616,324
Medicare Revenue Collected	N/A	\$2,721,337	\$887,803	\$1,010,987	\$1,062,962	\$1,107,335
Medicaid Revenue Collected	N/A	\$266,307	\$227,880	\$254,868	\$241,097	\$209,950
Other	N/A	\$920,187	\$266,185	\$266,837	\$312,493	\$248,100
None	N/A	\$656,425	\$143,418	\$125,959	\$80,583	\$50,939
<b>EMS Collection Rate</b>	N/A	25.07%	34.33%	36.64%	37.20%	32.51%



# CITISTAT

**REPORTING PERIOD: AUGUST 29, 2001 THROUGH SEPTEMBER 11, 2001**

## SUMMARY INDICATORS

	FY2001					
	FY99 YEAR-END	FY2000 YEAR-END	FY2001 (July - Sept.)	FY2001 (Oct. - Dec.)	FY2001 (Jan. - March)	FY2001 (April - June)
<b>FIRE PREVENTION/INVESTIGATIONS</b>						
Public Fire Safety Education (Persons)	16,917	16,759	9,959	16,576	27,385	20,463
Community Meetings/Events	129	160	51	88	78	109
Inspections	18,995	20,196	4,981	5,281	7,700	6,833
Permits Issued	6,865	6,647	1,806	1,696	1,845	1,866
Smoke Detectors Distributed	11,059	8,294	3,192	1,939	2,426	3,510
Smoke Detectors Installed	10,675	8,002	3,114	1,882	2,426	3,408
Fire Marshal's Office Investigations	1,186	1,252	323	382	286	393
Incendiary/Arson as Cause of Fire	513	559	161	150	103	183
Investigation-Related Criminal Arrests	48	52 (CY)	14	15	18	32



## CITISTAT

REPORTING PERIOD: AUGUST 29, 2001 THROUGH SEPTEMBER 11, 2001

## FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	07/18-07/31	08/01-08/14	08/15-08/28	08/29-09/11		Average	Minimum	Maximum	Total	Periods
<b>Engine 2</b>										
Total Responses	73	76	58	72	24.1%	67.2	53.0	85.0	1679	25
EMS Responses	28	50	27	34	25.9%	32.0	20.0	50.0	799	25
Building Inspections Performed	9	5	7	5	-28.6%	5.4	-	15.0	134	25
Home Visit Inspections Performed	24	10	15	10	-33.3%	38.0	-	131.0	951	25
Hydrants Inspected	34	34	34	34	0.0%	40.4	-	64.0	1010	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	3	2	2	0.0%	2.0	-	3.0	51	25
Fire Prevention Presentations	0	0	0	0	0.0%	0.3	-	5.0	7	25
Smoke Detectors Installed	0	0	0	0	0.0%	1.5	-	14.0	38	25
Battalion Training (Hours)	2	2	4	2	-50.0%	2.0	-	6.0	51	25
Company Training (Hours)	4	2	2	6	200.0%	3.8	-	13.0	94.9	25
Total Time in Service	88.15	52.27	38.15	45	18.0%	46.5	28.1	88.2	1162.92	25
<b>Engine 4</b>										
Total Responses	89	69	67	56	-16.4%	69.0	52.0	89.0	1725	25
EMS Responses	37	32	32	25	-21.9%	30.5	21.0	38.0	762	25
Building Inspections Performed	1	2	9	7	-22.2%	6.7	-	41.0	168	25
Home Visit Inspections Performed	143	83	83	47	-43.4%	68.8	-	318.0	1719	25
Hydrants Inspected	35	35	34	34	0.0%	29.6	-	53.0	741	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.0	-	5.0	50	25
Fire Prevention Presentations	1	0	1	0	-100.0%	1.2	-	9.0	30	25
Smoke Detectors Installed	28	39	33	16	-51.5%	19.8	-	41.0	496	25
Battalion Training (Hours)	6	6	6	8	33.3%	7.2	5.3	11.0	179.3	25
Company Training (Hours)	14.3	15.3	18	13	-27.8%	12.2	6.0	18.0	303.85	25
Total Time in Service	86	67.15	73	65	-11.0%	65.4	49.2	86.0	1635.61	25
<b>Engine 5</b>										
Total Responses	108	92	82	73	-11.0%	84.8	56.0	108.0	2119	25
EMS Responses	54	53	38	33	-13.2%	38.5	26.0	54.0	962	25
Building Inspections Performed	8	5	9	8	-11.1%	6.0	-	12.0	150	25
Home Visit Inspections Performed	30	51	110	80	-27.3%	40.3	-	110.0	1008	25
Hydrants Inspected	32	25	25	40	60.0%	26.0	-	53.0	650	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.3	2.0	4.0	57	25
Fire Prevention Presentations	0	0	0	0	0.0%	0.7	-	5.0	17	25
Smoke Detectors Installed	0	0	0	13		5.6	-	24.0	140	25
Battalion Training (Hours)	4	7.3	3	8	166.7%	4.2	1.0	8.0	105.2	25
Company Training (Hours)	4	8	6.3	6	-4.8%	6.8	4.0	11.0	170.9	25
Total Time in Service	91.3	58	49	55.3	12.9%	58.5	38.5	91.3	1462.74	25
<b>Engine 6</b>										
Total Responses	110	145	145	132	-9.0%	154.4	110.0	209.0	3859	25
EMS Responses	44	70	70	52	-25.7%	67.4	44.0	98.0	1686	25
Building Inspections Performed	3	1	6	7	16.7%	7.0	1.0	16.0	176	25
Home Visit Inspections Performed	12	10	10	16	60.0%	10.8	-	45.0	269	25
Hydrants Inspected	38	37	37	40	8.1%	25.6	-	40.0	641	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.5	2.0	4.0	62	25
Fire Prevention Presentations	2	0	0	1		1.1	-	5.0	28	25
Smoke Detectors Installed	0	0	0	0	0.0%	0.4	-	7.0	10	25
Battalion Training (Hours)	1	3	8	3	-62.5%	3.7	-	8.0	92.3	25
Company Training (Hours)	2	6.3	11	5.3	-51.8%	6.5	2.0	20.0	163	25
Total Time in Service	160.45	70.2	63.55	61.45	-3.3%	79.2	56.6	160.5	1978.92	25



## CITISTAT

REPORTING PERIOD: AUGUST 29, 2001 THROUGH SEPTEMBER 11, 2001

## FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	07/18-07/31	08/01-08/14	08/15-08/28	08/29-09/11		Average	Minimum	Maximum	Total	Periods
<b>Engine 8</b>										
Total Responses	110	115	80	88	10.0%	101.4	80.0	127.0	2535	25
EMS Responses	42	49	36	40	11.1%	42.6	31.0	56.0	1065	25
Building Inspections Performed	20	13	12	7	-41.7%	11.4	1.0	31.0	285	25
Home Visit Inspections Performed	17	16	18	7	-61.1%	22.6	-	65.0	564	25
Hydrants Inspected	35	41	60	39	-35.0%	40.3	7.0	99.0	1008	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.2	2.0	4.0	56	25
Fire Prevention Presentations	5	0	0	0	0.0%	2.0	-	16.0	51	25
Smoke Detectors Installed	0	8	7	0	-100.0%	10.5	-	32.0	263	25
Battalion Training (Hours)	4	4	5	4	-20.0%	3.8	-	5.3	95.6	25
Company Training (Hours)	12	9	12.3	9	-26.8%	12.2	7.0	22.0	305.2	25
Total Time in Service	80.15	68.3	58.3	46.45	-20.3%	70.2	46.5	83.4	1754.98	25
<b>Engine 13</b>										
Total Responses	129	137	120	132	10.0%	145.0	120.0	168.0	3624	25
EMS Responses	62	63	52	67	28.8%	61.5	39.0	78.0	1537	25
Building Inspections Performed	3	6	7	6	-14.3%	9.3	3.0	25.0	233	25
Home Visit Inspections Performed	0	15	21	0	-100.0%	23.6	-	70.0	591	25
Hydrants Inspected	37	41	40	40	0.0%	41.1	20.0	80.0	1028	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	3	3	2	-33.3%	2.4	2.0	4.0	61	25
Fire Prevention Presentations	0	0	0	0	0.0%	1.7	-	20.0	43.5	25
Smoke Detectors Installed	7	3	11	0	-100.0%	7.8	-	32.0	194	25
Battalion Training (Hours)	5	4	3	1	-66.7%	4.1	-	12.0	103.3	25
Company Training (Hours)	4	9	9	12	33.3%	8.0	3.0	13.0	199.3	25
Total Time in Service	130.2	65.15	59.4	55.45	-6.6%	80.9	55.5	130.2	2022.15	25
<b>Engine 14</b>										
Total Responses	136	151	115	124	7.8%	130.8	104.0	171.0	3270	25
EMS Responses	76	100	68	86	26.5%	77.8	52.0	100.0	1945	25
Building Inspections Performed	11	10	21	6	-71.4%	10.3	2.0	21.0	257	25
Home Visit Inspections Performed	64	6	22	72	227.3%	46.4	-	185.0	1159	25
Hydrants Inspected	28	32	29	29	0.0%	28.6	10.0	48.0	715	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	3	50.0%	2.2	2.0	3.0	54	25
Fire Prevention Presentations	0	0	1	0	-100.0%	0.3	-	3.0	8	25
Smoke Detectors Installed	4	12	0	11		11.6	-	48.0	289	25
Battalion Training (Hours)	2	4	7	4.3	-38.6%	4.5	2.0	8.5	113.35	25
Company Training (Hours)	13	15	10	10.15	1.5%	11.8	4.0	22.0	294.15	25
Total Time in Service	120.15	86.3	79.15	73	-7.8%	82.9	56.5	120.2	2072.41	25
<b>Engine 20</b>										
Total Responses	65	79	78	69	-11.5%	74.0	60.0	105.0	1851	25
EMS Responses	30	45	42	41	-2.4%	38.4	20.0	60.0	959	25
Building Inspections Performed	5	4	5	8	60.0%	6.7	-	23.0	167	25
Home Visit Inspections Performed	47	25	30	20	-33.3%	35.8	-	118.0	896	25
Hydrants Inspected	89	69	71	64	-9.9%	67.6	-	137.0	1690	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.5	2.0	3.0	62	25
Fire Prevention Presentations	0	0	2	0	-100.0%	2.4	-	25.0	60	25
Smoke Detectors Installed	9	15	9	4	-55.6%	17.2	-	65.0	430	25
Battalion Training (Hours)	12	12	15	11	-26.7%	12.3	6.0	21.0	308.5	25
Company Training (Hours)	4	5	6	11.45	90.8%	11.6	4.0	19.3	289.78	25
Total Time in Service	80.43	55.05	61.5	56.45	-8.2%	68.9	54.3	116.2	1723.32	25





## CITISTAT

REPORTING PERIOD: AUGUST 29, 2001 THROUGH SEPTEMBER 11, 2001

## FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	07/18-07/31	08/01-08/14	08/15-08/28	08/29-09/11		Average	Minimum	Maximum	Total	Periods
<b>Engine 21</b>										
Total Responses	51	80	46	75	63.0%	64.8	40.0	82.0	1619	25
EMS Responses	20	53	30	41	36.7%	37.3	20.0	54.0	932	25
Building Inspections Performed	6	6	1	1	0.0%	5.4	-	12.0	134	25
Home Visit Inspections Performed	97	61	62	81	30.6%	51.8	-	118.0	1295	25
Hydrants Inspected	45	28	33	28	-15.2%	25.6	-	45.0	640	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.1	-	4.0	53	25
Fire Prevention Presentations	0	0	0	0	0.0%	0.8	-	5.0	19	25
Smoke Detectors Installed	8	0	0	6		10.5	-	38.0	263	25
Battalion Training (Hours)	6	8	8	6	-25.0%	5.9	-	9.0	147.4	25
Company Training (Hours)	4.3	3.3	5.3	7.3	37.7%	5.1	-	36.0	127.8	25
Total Time in Service	79	50	44.45	54.15	21.8%	48.8	27.5	79.0	1220.23	25
<b>Engine 23</b>										
Total Responses	110	136	111	121	9.0%	123.7	102.0	149.0	3093	25
EMS Responses	45	70	51	54	5.9%	52.1	40.0	70.0	1303	25
Building Inspections Performed	2	3	3	4	33.3%	7.3	-	21.0	183	25
Home Visit Inspections Performed	16	10	15	9	-40.0%	27.3	-	122.0	683	25
Hydrants Inspected	25	25	25	25	0.0%	25.0	2.0	83.0	625	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	3	50.0%	2.6	2.0	5.0	65	25
Fire Prevention Presentations	0	0	0	0	0.0%	0.5	-	3.0	12	25
Smoke Detectors Installed	0	2	2	1	-50.0%	0.6	-	6.0	16	25
Battalion Training (Hours)	3	3	3	0	-100.0%	3.3	-	6.0	82	25
Company Training (Hours)	3	7	7.3	8	9.6%	11.5	3.0	46.0	286.3	25
Total Time in Service	117.15	73.2	49.35	54.35	10.1%	69.3	49.4	117.2	1732.77	25
<b>Engine 26</b>										
Total Responses	35	39	40	35	-12.5%	40.6	24.0	56.0	1015	25
EMS Responses	16	14	19	18	-5.3%	17.8	5.0	29.0	444	25
Building Inspections Performed	3	4	5	4	-20.0%	4.6	-	12.0	114	25
Home Visit Inspections Performed	54	27	36	83	130.6%	56.1	-	182.0	1403	25
Hydrants Inspected	22	22	23	23	0.0%	28.8	-	79.0	719	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	3	50.0%	2.2	1.0	3.0	54	25
Fire Prevention Presentations	2	0	0	0	0.0%	0.4	-	2.0	10	25
Smoke Detectors Installed	0	2	4	2	-50.0%	4.0	-	17.0	101	25
Battalion Training (Hours)	0	4	5	4	-20.0%	3.5	-	8.0	88	25
Company Training (Hours)	11	10.3	11	14	27.3%	11.7	6.0	17.3	291.95	25
Total Time in Service	89.15	44.15	48.4	44.55	-8.0%	52.5	34.1	89.2	1311.55	25
<b>Engine 27</b>										
Total Responses	70	72	55	61	10.9%	66.4	54.0	79.0	1659	25
EMS Responses	33	39	26	29	11.5%	31.8	21.0	41.0	795	25
Building Inspections Performed	11	3	4	13	225.0%	10.0	-	19.0	251	25
Home Visit Inspections Performed	44	31	50	41	-18.0%	36.5	-	103.0	912	25
Hydrants Inspected	37	34	6	51	750.0%	33.3	-	74.0	832	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.2	2.0	3.0	54	25
Fire Prevention Presentations	0	0	1	0	-100.0%	0.9	-	6.0	22	25
Smoke Detectors Installed	0	0	10	7	-30.0%	8.9	-	26.0	222	25
Battalion Training (Hours)	0	8	2	3	50.0%	4.3	-	9.3	108.35	25
Company Training (Hours)	10	11	9	7	-22.2%	8.4	5.0	13.0	209.6	25
Total Time in Service	73.2	62	50.45	49.45	-2.0%	56.6	39.5	84.6	1414.07	25



## CITISTAT

REPORTING PERIOD: AUGUST 29, 2001 THROUGH SEPTEMBER 11, 2001

## FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	07/18-07/31	08/01-08/14	08/15-08/28	08/29-09/11		Average	Minimum	Maximum	Total	Periods
<b>Engine 29</b>										
Total Responses	127	133	132	104	-21.2%	115.4	88.0	140.0	2886	25
EMS Responses	73	94	97	72	-25.8%	74.6	57.0	99.0	1865	25
Building Inspections Performed	8	4	10	11	10.0%	6.8	-	22.0	170	25
Home Visit Inspections Performed	93	103	218	59	-72.9%	56.1	-	218.0	1403	25
Hydrants Inspected	31	31	76	61	-19.7%	52.1	-	139.0	1302	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	3	2	2	0.0%	2.3	-	6.0	58	25
Fire Prevention Presentations	0	2	0	0	0.0%	1.2	-	9.0	30	25
Smoke Detectors Installed	0	23	23	20	-13.0%	18.5	-	54.0	462	25
Battalion Training (Hours)	8	7	12	5	-58.3%	6.9	-	12.0	171.5	25
Company Training (Hours)	10	9	13	11	-15.4%	9.2	2.2	18.0	230.1	25
Total Time in Service	104.55	84.2	99.25	75.05	-24.4%	88.8	56.3	120.2	2221.01	25
<b>Engine 30</b>										
Total Responses	106	74	82	71	-13.4%	81.4	66.0	106.0	2034	25
EMS Responses	45	37	36	35	-2.8%	39.3	27.0	58.0	982	25
Building Inspections Performed	7	5	5	9	80.0%	6.4	2.0	16.0	159	25
Home Visit Inspections Performed	72	22	20	30	50.0%	39.0	-	213.0	976	25
Hydrants Inspected	28	29	30	34	13.3%	33.3	-	80.0	832	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	3	3	0.0%	2.1	-	3.0	52	25
Fire Prevention Presentations	0	0	0	0	0.0%	0.6	-	8.0	14	25
Smoke Detectors Installed	17	4	16	6	-62.5%	9.0	-	28.0	225	25
Battalion Training (Hours)	4	4	4	4	0.0%	5.2	4.0	13.0	131	25
Company Training (Hours)	10	9	10	8	-20.0%	6.5	1.0	14.0	163	25
Total Time in Service	97.15	56.45	71.45	54.3	-24.0%	63.3	43.5	97.2	1583.3	25
<b>Engine 31</b>										
Total Responses	101	103	89	85	-4.5%	99.7	85.0	116.0	2492	25
EMS Responses	45	58	47	49	4.3%	45.9	35.0	58.0	1148	25
Building Inspections Performed	7	11	8	9	12.5%	6.4	1.0	13.0	159	25
Home Visit Inspections Performed	35	0	15	51	240.0%	24.4	-	133.0	609	25
Hydrants Inspected	52	52	52	52	0.0%	35.0	-	62.0	874	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	2	0.0%	2.4	1.0	5.0	60	25
Fire Prevention Presentations	0	1	0	0	0.0%	0.8	-	6.0	20	25
Smoke Detectors Installed	5	1	0	0	0.0%	6.4	-	27.0	159	25
Battalion Training (Hours)	4.1	2	4	6	50.0%	3.6	2.0	7.0	89.4	25
Company Training (Hours)	8	9	10.3	7	-32.0%	8.9	4.0	18.0	222.3	25
Total Time in Service	124.45	66.55	53.25	63.25	18.8%	64.3	51.5	124.5	1606.28	25
<b>Engine 33</b>										
Total Responses	96	122	108	122	13.0%	114.6	88.0	133.0	2865	25
EMS Responses	38	69	45	74	64.4%	55.0	38.0	74.0	1376	25
Building Inspections Performed	2	2	8	10	25.0%	11.1	2.0	28.0	278	25
Home Visit Inspections Performed	24	44	46	36	-21.7%	48.5	-	134.0	1212	25
Hydrants Inspected	53	53	52	53	1.9%	42.6	-	92.0	1064	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	2	0.0%	2.2	-	4.0	54	25
Fire Prevention Presentations	0	26	0	0	0.0%	1.7	-	26.0	43	25
Smoke Detectors Installed	6	1	11	0	-100.0%	13.1	-	54.0	327	25
Battalion Training (Hours)	4	4	10	5	-50.0%	3.5	1.0	10.0	88.55	25
Company Training (Hours)	2	5	6	5.3	-11.7%	6.5	2.0	18.0	162.2	25
Total Time in Service	118.3	84.3	79.1	111.3	40.7%	84.6	61.5	118.3	2116.16	25



## CITISTAT

REPORTING PERIOD: AUGUST 29, 2001 THROUGH SEPTEMBER 11, 2001

## FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2-WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	07/18-07/31	08/01-08/14	08/15-08/28	08/29-09/11		Average	Minimum	Maximum	Total	Periods
<b>Engine 35</b>										
Total Responses	49	50	31	43	38.7%	42.0	31.0	56.0	1050	25
EMS Responses	23	27	15	16	6.7%	23.8	15.0	33.0	595	25
Building Inspections Performed	2	4	2	0	-100.0%	2.3	-	6.0	58	25
Home Visit Inspections Performed	29	11	14	13	-7.1%	25.2	-	131.0	630	25
Hydrants Inspected	22	22	22	22	0.0%	24.2	-	88.0	604	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.2	1.0	4.0	56	25
Fire Prevention Presentations	0	0	0	0	0.0%	0.9	-	8.0	23	25
Smoke Detectors Installed	11	5	0	1		5.7	-	24.0	143	25
Battalion Training (Hours)	0	2	2	6	200.0%	4.5	-	37.0	112.3	25
Company Training (Hours)	5	6	7	5	-28.6%	6.4	2.0	16.0	159.3	25
Total Time in Service	94.25	57.4	28.2	37.3	32.3%	43.0	28.2	94.3	1075.26	25
<b>Engine 36</b>										
Total Responses	101	76	67	61	-9.0%	85.2	61.0	107.0	2129	25
EMS Responses	48	38	31	30	-3.2%	39.6	26.0	56.0	990	25
Building Inspections Performed	10	11	22	19	-13.6%	8.5	-	22.0	213	25
Home Visit Inspections Performed	90	124	72	85	18.1%	31.5	-	124.0	787	25
Hydrants Inspected	50	57	58	46	-20.7%	32.6	-	67.0	815	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.1	1.0	3.0	53	25
Fire Prevention Presentations	1	0	1	0	-100.0%	0.5	-	3.0	12	25
Smoke Detectors Installed	44	62	35	19	-45.7%	18.7	-	62.0	468	25
Battalion Training (Hours)	4	4	5	6	20.0%	3.6	2.0	6.0	89.3	25
Company Training (Hours)	6.3	5	6.3	6.3	0.0%	26.2	2.0	515.0	655	25
Total Time in Service	96.45	67.45	60	55.45	-7.6%	57.4	39.3	96.5	1435.59	25
<b>Engine 40</b>										
Total Responses	74	94	92	59	-35.9%	75.5	52.0	97.0	1887	25
EMS Responses	26	58	54	36	-33.3%	40.8	18.0	62.0	1019	25
Building Inspections Performed	5	1	2	0	-100.0%	6.6	-	38.0	164	25
Home Visit Inspections Performed	70	36	64	102	59.4%	56.4	-	203.0	1411	25
Hydrants Inspected	63	62	65	66	1.5%	55.9	-	144.0	1398	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	3	2	-33.3%	2.7	2.0	5.0	68	25
Fire Prevention Presentations	0	0	0	0	0.0%	1.6	-	16.0	40	25
Smoke Detectors Installed	8	10	8	0	-100.0%	11.7	-	59.0	292	25
Battalion Training (Hours)	10.4	6	12	5.3	-55.8%	10.1	5.3	14.1	252.35	25
Company Training (Hours)	12	14.3	12.3	9.3	-24.4%	12.7	9.0	22.3	316.9	25
Total Time in Service	84.55	69.45	71.4	43.35	-39.3%	68.9	43.4	100.5	1721.55	25
<b>Engine 41</b>										
Total Responses	68	84	74	71	-4.1%	79.2	58.0	99.0	1980	25
EMS Responses	33	52	44	44	0.0%	47.4	33.0	62.0	1184	25
Building Inspections Performed	15	5	10	9	-10.0%	13.1	2.0	110.0	328	25
Home Visit Inspections Performed	55	30	71	107	50.7%	56.2	-	168.0	1405	25
Hydrants Inspected	40	39	40	40	0.0%	41.6	10.0	63.0	1039	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.6	2.0	4.0	66	25
Fire Prevention Presentations	0	1	1	0	-100.0%	1.2	-	7.0	29	25
Smoke Detectors Installed	38	12	24	0	-100.0%	9.7	-	45.0	243	25
Battalion Training (Hours)	4	9	3	4	33.3%	5.2	-	12.0	130.05	25
Company Training (Hours)	9	10	13.3	13	-2.3%	10.0	4.0	15.0	250.66	25
Total Time in Service	76.15	63	56.3	55.3	-1.8%	61.1	41.2	84.0	1527.05	25



## CITISTAT

REPORTING PERIOD: AUGUST 29, 2001 THROUGH SEPTEMBER 11, 2001

## FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	07/18-07/31	08/01-08/14	08/15-08/28	08/29-09/11		Average	Minimum	Maximum	Total	Periods
<b>Engine 42</b>										
Total Responses	65	52	30	41	36.7%	53.2	30.0	72.0	1331	25
EMS Responses	21	27	14	24	71.4%	24.9	14.0	35.0	622	25
Building Inspections Performed	10	5	5	5	0.0%	4.3	-	10.0	107	25
Home Visit Inspections Performed	78	66	48	73	52.1%	60.9	-	169.0	1522	25
Hydrants Inspected	69	64	66	67	1.5%	44.6	-	75.0	1116	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	3	50.0%	2.2	-	5.0	54	25
Fire Prevention Presentations	0	0	0	0	0.0%	1.2	-	7.0	29	25
Smoke Detectors Installed	9	0	25	12	-52.0%	9.2	-	25.0	229	25
Battalion Training (Hours)	8	6	7	4	-42.9%	6.5	2.0	10.0	161.3	25
Company Training (Hours)	7	6	10	8	-20.0%	11.5	1.0	28.0	286.9	25
Total Time in Service	81.3	44.3	42.3	43	1.7%	54.5	34.6	81.3	1363.25	25
<b>Engine 43</b>										
Total Responses	79	76	69	68	-1.4%	72.9	58.0	89.0	1822	25
EMS Responses	45	44	50	44	-12.0%	44.0	34.0	56.0	1099	25
Building Inspections Performed	5	5	3	6	100.0%	4.0	-	10.0	101	25
Home Visit Inspections Performed	59	60	51	26	-49.0%	49.0	-	150.0	1226	25
Hydrants Inspected	46	45	46	45	-2.2%	36.5	-	58.0	912	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.3	1.0	3.0	58	25
Fire Prevention Presentations	0	0	0	0	0.0%	0.7	-	4.0	18	25
Smoke Detectors Installed	9	8	7	1	-85.7%	9.4	-	48.0	235	25
Battalion Training (Hours)	4	5	8	5.3	-33.8%	5.4	-	10.0	135.6	25
Company Training (Hours)	9	4	5	4	-20.0%	7.8	1.0	17.0	195.5	25
Total Time in Service	57	53	54	52	-3.7%	53.9	43.0	64.4	1346.67	25
<b>Engine 44</b>										
Total Responses	59	46	47	40	-14.9%	44.3	32.0	60.0	1108	25
EMS Responses	14	19	17	10	-41.2%	12.3	2.0	20.0	307	25
Building Inspections Performed	4	6	5	4	-20.0%	5.4	-	15.0	135	25
Home Visit Inspections Performed	64	69	87	91	4.6%	96.0	-	282.0	2401	25
Hydrants Inspected	38	38	38	38	0.0%	31.8	-	59.0	794	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.5	2.0	4.0	63	25
Fire Prevention Presentations	0	0	0	1		1.3	-	10.0	32	25
Smoke Detectors Installed	3	5	4	0	-100.0%	3.6	-	14.0	90	25
Battalion Training (Hours)	4	6	3.3	7	112.1%	7.1	3.3	11.0	178.3	25
Company Training (Hours)	5	2	8	6	-25.0%	6.3	1.5	18.0	156.8	25
Total Time in Service	78.3	46.15	54.45	48.15	-11.6%	52.7	36.6	78.3	1318.15	25
<b>Engine 45</b>										
Total Responses	59	52	33	66	100.0%	52.2	33.0	66.0	1305	25
EMS Responses	28	25	20	45	125.0%	29.0	17.0	45.0	725	25
Building Inspections Performed	3	8	4	0	-100.0%	3.9	-	12.0	97	25
Home Visit Inspections Performed	30	72	44	9	-79.5%	34.4	-	84.0	859	25
Hydrants Inspected	54	47	54	35	-35.2%	37.6	-	70.0	941	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	0	-100.0%	1.9	-	3.0	48	25
Fire Prevention Presentations	2	0	1	0	-100.0%	0.9	-	4.0	23	25
Smoke Detectors Installed	0	3	0	0	0.0%	4.5	-	20.0	112	25
Battalion Training (Hours)	12	9.3	8	5.3	-33.8%	9.3	2.0	17.0	231.5	25
Company Training (Hours)	4	13.5	15	11	-26.7%	8.8	-	19.0	219.8	25
Total Time in Service	60.03	58.51	57.4	43.3	-24.6%	54.9	41.1	72.4	1372.49	25



## CITISTAT

REPORTING PERIOD: AUGUST 29, 2001 THROUGH SEPTEMBER 11, 2001

## FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2-WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	07/18-07/31	08/01-08/14	08/15-08/28	08/29-09/11		Average	Minimum	Maximum	Total	Periods
<b>Engine 46</b>										
Total Responses	108	115	118	115	-2.5%	117.8	96.0	142.0	2945	25
EMS Responses	63	70	77	77	0.0%	72.4	53.0	95.0	1809	25
Building Inspections Performed	6	11	10	6	-40.0%	9.6	5.0	17.0	239	25
Home Visit Inspections Performed	103	135	142	92	-35.2%	100.2	-	358.0	2505	25
Hydrants Inspected	42	40	62	40	-35.5%	43.3	2.0	127.0	1082	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.7	2.0	7.0	68	25
Fire Prevention Presentations	1	2	2	0	-100.0%	1.7	-	10.0	43	25
Smoke Detectors Installed	31	8	4	2	-50.0%	12.1	-	49.0	302	25
Battalion Training (Hours)	9	8.3	10.3	10	-2.9%	8.8	5.0	14.0	219.7	25
Company Training (Hours)	13	8	3	8.3	176.7%	10.0	3.0	27.0	249.25	25
Total Time in Service	96.45	76.3	76.05	72.15	-5.1%	84.4	67.4	110.1	2108.76	25
<b>Engine 47</b>										
Total Responses	47	45	36	35	-2.8%	36.5	21.0	53.0	913	25
EMS Responses	21	23	16	12	-25.0%	16.5	7.0	23.0	412	25
Building Inspections Performed	8	6	7	8	14.3%	6.6	-	19.0	166	25
Home Visit Inspections Performed	36	40	39	35	-10.3%	67.1	-	272.0	1678	25
Hydrants Inspected	37	34	35	34	-2.9%	29.2	-	53.0	729	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.4	2.0	3.0	59	25
Fire Prevention Presentations	0	1	0	0	0.0%	1.8	-	16.0	46	25
Smoke Detectors Installed	2	3	3	1	-66.7%	4.5	-	18.0	113	25
Battalion Training (Hours)	6	8	8	5	-37.5%	7.1	4.0	14.0	176.3	25
Company Training (Hours)	8	11	11	13.3	20.9%	13.5	8.0	34.0	337.95	25
Total Time in Service	67.3	59.35	51.45	50.15	-2.5%	56.0	32.1	76.3	1400.84	25
<b>Engine 50</b>										
Total Responses	75	41	47	39	-17.0%	46.8	34.0	75.0	1170	25
EMS Responses	44	26	30	27	-10.0%	28.1	19.0	44.0	703	25
Building Inspections Performed	6	7	12	10	-16.7%	9.6	2.0	22.0	239	25
Home Visit Inspections Performed	18	19	108	87	-19.4%	39.9	-	139.0	998	25
Hydrants Inspected	82	47	75	37	-50.7%	44.1	-	82.0	1102	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.2	1.0	4.0	56	25
Fire Prevention Presentations	0	0	0	0	0.0%	0.4	-	3.0	11	25
Smoke Detectors Installed	0	0	23	0	-100.0%	4.3	-	23.0	107	25
Battalion Training (Hours)	6	10.3	5	6	20.0%	10.9	5.0	16.0	271.9	25
Company Training (Hours)	9	9	9	12	33.3%	9.7	5.0	17.2	242.1	25
Total Time in Service	66.45	47.37	52.5	48	-8.6%	54.7	35.4	68.6	1367.96	25
<b>Engine 51</b>										
Total Responses	158	147	156	123	-21.2%	140.4	119.0	183.0	3510	25
EMS Responses	92	101	95	70	-26.3%	78.4	56.0	101.0	1960	25
Building Inspections Performed	6	10	14	10	-28.6%	9.4	-	27.0	236	25
Home Visit Inspections Performed	86	86	89	89	0.0%	68.5	-	184.0	1712	25
Hydrants Inspected	41	39	37	36	-2.7%	31.4	-	111.0	785	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.0	2.0	3.0	51	25
Fire Prevention Presentations	0	0	0	0	0.0%	1.2	-	9.0	29	25
Smoke Detectors Installed	11	19	24	1	-95.8%	13.2	-	32.0	329	25
Battalion Training (Hours)	8	8	4	3	-25.0%	6.1	1.3	17.0	153.6	25
Company Training (Hours)	8	11	9	15	66.7%	11.9	6.0	16.0	297.3	25
Total Time in Service	89.45	84.3	81.15	76.15	-6.2%	82.8	57.0	166.3	2070.73	25



## CITISTAT

REPORTING PERIOD: AUGUST 29, 2001 THROUGH SEPTEMBER 11, 2001

## FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2-WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	07/18-07/31	08/01-08/14	08/15-08/28	08/29-09/11		Average	Minimum	Maximum	Total	Periods
<b>Engine 52</b>										
Total Responses	103	119	108	91	-15.7%	108.4	91.0	137.0	2710	25
EMS Responses	45	69	59	60	1.7%	58.0	45.0	72.0	1449	25
Building Inspections Performed	10	7	8	7	-12.5%	7.1	-	11.0	178	25
Home Visit Inspections Performed	30	43	142	100	-29.6%	45.9	-	142.0	1148	25
Hydrants Inspected	37	15	61	38	-37.7%	34.1	-	62.0	852	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	1	3	2	3	50.0%	2.2	1.0	4.0	54	25
Fire Prevention Presentations	2	1	1	1	0.0%	0.6	-	3.0	16	25
Smoke Detectors Installed	37	5	40	11	-72.5%	14.6	-	52.0	365	25
Battalion Training (Hours)	3	10	9	8	-11.1%	10.8	1.0	114.0	268.9	25
Company Training (Hours)	7	9	9	6.3	-30.0%	10.7	1.3	25.0	267.3	25
Total Time in Service	120	77.25	83.55	62.1	-25.7%	72.7	52.5	120.0	1817.94	25
<b>Engine 53</b>										
Total Responses	62	65	77	62	-19.5%	65.3	50.0	79.0	1632	25
EMS Responses	35	38	39	43	10.3%	38.2	28.0	48.0	954	25
Building Inspections Performed	3	6	8	5	-37.5%	6.7	2.0	13.0	167	25
Home Visit Inspections Performed	34	32	30	44	46.7%	43.2	-	125.0	1079.06	25
Hydrants Inspected	68	71	66	66	0.0%	51.1	-	102.0	1278	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	3	4	33.3%	2.5	2.0	4.0	62	25
Fire Prevention Presentations	1	0	1	0	-100.0%	1.8	-	16.0	45	25
Smoke Detectors Installed	1	16	30	14	-53.3%	25.9	-	80.0	648	25
Battalion Training (Hours)	1	2	6	3.3	-45.0%	3.0	-	7.3	74.9	25
Company Training (Hours)	11	19.3	12.3	31	152.0%	9.9	5.0	31.0	246.65	25
Total Time in Service	55.4	61.3	70.3	72	2.4%	55.8	37.0	72.0	1395.65	25
<b>Engine 54</b>										
Total Responses	60	58	44	51	15.9%	54.2	32.0	72.0	1356	25
EMS Responses	20	41	35	30	-14.3%	32.5	8.0	53.0	813	25
Building Inspections Performed	6	6	6	4	-33.3%	4.8	-	8.0	120	25
Home Visit Inspections Performed	44	47	76	92	21.1%	50.4	-	140.0	1260	25
Hydrants Inspected	36	46	38	41	7.9%	32.1	-	46.0	803	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	3	50.0%	2.0	-	3.0	49	25
Fire Prevention Presentations	0	0	0	0	0.0%	0.5	-	5.0	12	25
Smoke Detectors Installed	6	11	5	8	60.0%	7.6	-	29.0	191	25
Battalion Training (Hours)	6	8	6.3	5.3	-15.9%	7.4	4.0	12.0	184.6	25
Company Training (Hours)	7	7	11	10	-9.1%	8.2	2.0	11.3	204.9	25
Total Time in Service	84.45	52.4	50.45	49.35	-2.2%	53.8	38.3	84.5	1345.88	25
<b>Engine 55</b>										
Total Responses	77	57	41	36	-12.2%	53.7	36.0	81.0	1342	25
EMS Responses	37	31	8	18	125.0%	22.2	8.0	37.0	555	25
Building Inspections Performed	12	10	13	10	-23.1%	7.8	4.0	15.0	195	25
Home Visit Inspections Performed	51	54	69	77	11.6%	41.6	-	95.0	1040	25
Hydrants Inspected	35	22	26	38	46.2%	25.2	1.0	49.0	630	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.4	2.0	4.0	61	25
Fire Prevention Presentations	3	0	0	0	0.0%	0.5	-	3.0	12	25
Smoke Detectors Installed	0	12	3	17	466.7%	6.0	-	17.0	151	25
Battalion Training (Hours)	4	4	6	4	-33.3%	3.7	-	6.0	92.3	25
Company Training (Hours)	25.3	29	24	32	33.3%	24.8	15.0	35.3	620.95	25
Total Time in Service	124	97.45	64	75	17.2%	76.9	53.1	124.0	1923.41	25





## CITISTAT

REPORTING PERIOD: AUGUST 29, 2001 THROUGH SEPTEMBER 11, 2001

## FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	07/18-07/31	08/01-08/14	08/15-08/28	08/29-09/11		Average	Minimum	Maximum	Total	Periods
<b>Engine 56</b>										
Total Responses	43	62	62	39	-37.1%	57.2	39.0	75.0	1430	25
EMS Responses	27	42	48	26	-45.8%	35.6	23.0	52.0	890	25
Building Inspections Performed	16	9	8	0	-100.0%	6.7	-	19.0	168	25
Home Visit Inspections Performed	44	96	97	93	-4.1%	55.8	-	172.0	1394	25
Hydrants Inspected	51	49	50	52	4.0%	39.0	3.0	67.0	974	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.3	1.0	3.0	57	25
Fire Prevention Presentations	1	0	0	0	0.0%	1.1	-	7.0	28	25
Smoke Detectors Installed	6	20	11	4	-63.6%	6.1	-	22.0	153	25
Battalion Training (Hours)	5	6	6	6	0.0%	4.9	-	8.0	122.4	25
Company Training (Hours)	15.3	8	12.3	5	-59.3%	13.7	5.0	25.3	341.45	25
Total Time in Service	61.3	60.15	59.15	39	-34.1%	55.8	33.1	70.3	1394.39	25
<b>Engine 57</b>										
Total Responses	37	31	46	39	-15.2%	34.4	27.0	46.0	861	25
EMS Responses	20	14	29	24	-17.2%	19.9	12.0	29.0	497	25
Building Inspections Performed	3	9	10	7	-30.0%	16.3	-	61.0	408	25
Home Visit Inspections Performed	52	52	52	50	-3.8%	49.0	-	135.0	1224	25
Hydrants Inspected	22	22	22	22	0.0%	30.1	-	121.0	752	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	6	4	8	10	25.0%	6.9	2.0	12.0	173	25
Fire Prevention Presentations	0	0	0	0	0.0%	1.0	-	6.0	26	25
Smoke Detectors Installed	2	3	0	0	0.0%	4.4	-	24.0	109	25
Battalion Training (Hours)	8	10	8	10	25.0%	9.1	2.0	37.0	227.5	25
Company Training (Hours)	7	6	8	4	-50.0%	8.6	4.0	18.0	214.3	25
Total Time in Service	105.5	56.35	50.5	49.1	-2.8%	62.1	40.0	105.5	1553.67	25
<b>Engine 58</b>										
Total Responses	72	69	83	72	-13.3%	74.1	59.0	89.0	1853	25
EMS Responses	45	37	49	49	0.0%	44.8	32.0	57.0	1120	25
Building Inspections Performed	3	2	4	1	-75.0%	7.2	1.0	22.0	181	25
Home Visit Inspections Performed	16	21	35	16	-54.3%	22.5	-	81.0	563	25
Hydrants Inspected	41	41	44	41	-6.8%	37.2	-	53.0	929	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.4	2.0	4.0	60	25
Fire Prevention Presentations	0	2	0	0	0.0%	1.7	-	17.0	43	25
Smoke Detectors Installed	6	2	15	3	-80.0%	7.1	-	26.0	178	25
Battalion Training (Hours)	0	4	2	1.3	-35.0%	6.6	-	35.0	164.55	25
Company Training (Hours)	21	21	22	23	4.5%	19.9	3.0	28.0	497.25	25
Total Time in Service	104.35	80.5	69.45	61.25	-11.8%	76.4	57.1	104.4	1910.66	25
<b>Engine 124</b>										
Total Responses	47	45	29	32	10.3%	40.9	23.0	57.0	1023	25
EMS Responses	28	26	17	15	-11.8%	22.2	13.0	33.0	554	25
Building Inspections Performed	6	7	13	12	-7.7%	8.2	-	18.0	204	25
Home Visit Inspections Performed	66	38	138	198	43.5%	78.6	-	198.0	1964.5	25
Hydrants Inspected	33	33	31	34	9.7%	30.0	-	152.0	749	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.1	2.0	3.0	53	25
Fire Prevention Presentations	0	0	0	0	0.0%	0.3	-	2.0	7	25
Smoke Detectors Installed	9	1	16	4	-75.0%	7.8	-	34.0	195	25
Battalion Training (Hours)	3	4.3	2.3	4	73.9%	3.8	-	14.0	94.49	25
Company Training (Hours)	7	16.3	8	11	37.5%	8.8	-	21.2	219.9	25
Total Time in Service	80.45	48.45	39	44	12.8%	45.1	28.0	80.5	1128.7	25



## CITISTAT

REPORTING PERIOD: AUGUST 29, 2001 THROUGH SEPTEMBER 11, 2001

## FIRE SUPPRESSION (TRUCKS)

TRUCK RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	07/18-07/31	08/01-08/14	08/15-08/28	08/29-09/11		Average	Minimum	Maximum	Total	Periods
<b>Truck 1</b>										
Total Responses	121	136	117	132	12.8%	125.9	94.0	148.0	3148	25
EMS Response	51	63	53	58	9.4%	58.4	24.0	85.0	1460	25
Building Inspections Performed	7	5	6	5	-16.7%	5.5	1.0	11.0	137	25
Home Visit Inspections Performed	10	8	12	30	150.0%	12.6	-	56.0	316	25
Hydrants Inspected	43	58	37	41	10.8%	30.2	-	58.0	756	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.4	1.0	6.0	60	25
Fire Prevention Presentations	1	0	0	0	0.0%	0.9	-	5.0	22	25
Smoke Detectors Installed	0	0	0	0	0.0%	1.8	-	22.0	46	25
Battalion Training (Hours)	3	3	6	3.3	-45.0%	3.3	-	7.0	82.65	25
Company Training (Hours)	5	5	6	4.3	-28.3%	6.5	1.3	14.0	162.5	25
Total Time in Service	113.1	87.3	58.5	69.3	18.5%	75.4	56.3	113.1	1884.53	25
<b>Truck 3</b>										
Total Responses	93	81	74	73	-1.4%	78.5	57.0	115.0	1963	25
EMS Response	47	49	43	34	-20.9%	35.7	26.0	49.0	892	25
Building Inspections Performed	4	6	8	6	-25.0%	6.1	1.0	15.0	152	25
Home Visit Inspections Performed	88	28	62	38	-38.7%	35.6	-	89.0	889	25
Hydrants Inspected	42	37	36	38	5.6%	38.0	14.0	71.0	950	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.4	2.0	4.0	60	25
Fire Prevention Presentations	1	0	0	0	0.0%	1.0	-	11.0	25	25
Smoke Detectors Installed	2	0	0	3		3.8	-	17.0	96	25
Battalion Training (Hours)	2	6	4	4.3	7.5%	3.5	1.0	6.0	88.6	25
Company Training (Hours)	6.3	5.3	6	7.3	21.7%	6.9	4.0	18.0	173	25
Total Time in Service	69.15	70	50.3	51.45	2.3%	55.1	21.0	75.2	1378.33	25
<b>Truck 5</b>										
Total Responses	109	109	106	80	-24.5%	109.7	80.0	131.0	2743	25
EMS Response	50	61	45	38	-15.6%	54.4	37.0	74.0	1360	25
Building Inspections Performed	17	8	19	16	-15.8%	12.2	-	22.0	306	25
Home Visit Inspections Performed	84	112	79	40	-49.4%	41.0	-	113.0	1026	25
Hydrants Inspected	50	50	50	50	0.0%	36.8	-	70.0	921	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	1	3	2	2	0.0%	2.4	1.0	3.0	61	25
Fire Prevention Presentations	0	0	1	0	-100.0%	0.8	-	3.0	21	25
Smoke Detectors Installed	0	0	14	12	-14.3%	11.3	-	56.0	282	25
Battalion Training (Hours)	3	4	4	2	-50.0%	2.4	-	5.0	60.05	25
Company Training (Hours)	16	16	19	21.3	12.1%	11.1	2.0	21.3	277.7	25
Total Time in Service	117.22	83.08	79.51	78.13	-1.7%	76.0	53.2	117.2	1899.51	25
<b>Truck 6</b>										
Total Responses	65	75	51	61	19.6%	52.4	37.0	75.0	1310	25
EMS Response	22	26	16	26	62.5%	20.2	13.0	32.0	506	25
Building Inspections Performed	0	0	3	3	0.0%	5.4	-	60.0	136	25
Home Visit Inspections Performed	0	46	27	21	-22.2%	29.8	-	103.0	745	25
Hydrants Inspected	30	30	30	30	0.0%	23.3	-	60.0	582	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.0	-	3.0	50	25
Fire Prevention Presentations	0	0	0	0	0.0%	0.2	-	1.0	4	25
Smoke Detectors Installed	0	0	0	2		3.3	-	31.0	83	25
Battalion Training (Hours)	2	4	1	1	0.0%	3.1	-	6.0	76.3	25
Company Training (Hours)	4	8	10	5	-50.0%	7.6	2.0	26.2	189.05	25
Total Time in Service	79.45	52.55	37.1	35.25	-5.0%	41.6	25.0	79.5	1038.92	25





## CITISTAT

REPORTING PERIOD: AUGUST 29, 2001 THROUGH SEPTEMBER 11, 2001

## FIRE SUPPRESSION (TRUCKS)

TRUCK RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	07/18-07/31	08/01-08/14	08/15-08/28	08/29-09/11		Average	Minimum	Maximum	Total	Periods
<b>Truck 8</b>										
Total Responses	96	74	85	82	-3.5%	80.7	55.0	121.0	2017	25
EMS Response	43	47	37	34	-8.1%	39.1	23.0	54.0	978	25
Building Inspections Performed	11	10	8	17	112.5%	8.8	-	19.0	221	25
Home Visit Inspections Performed	74	29	34	27	-20.6%	29.8	-	120.0	745	25
Hydrants Inspected	41	39	40	36	-10.0%	29.1	-	51.0	728	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	4	2	3	50.0%	2.3	1.0	4.0	58	25
Fire Prevention Presentations	0	0	0	1		0.4	-	4.0	11	25
Smoke Detectors Installed	14	3	0	14		5.8	-	15.0	146	25
Battalion Training (Hours)	10	10	11	12	9.1%	10.9	4.0	14.0	272	25
Company Training (Hours)	12	12	11	11	0.0%	8.6	3.0	16.0	215.2	25
Total Time in Service	87.3	84.3	74.15	79	6.5%	71.1	38.2	88.3	1778.25	25
<b>Truck 10</b>										
Total Responses	85	107	75	95	26.7%	95.0	75.0	121.0	2376	25
EMS Response	32	55	37	55	48.6%	38.6	26.0	55.0	964	25
Building Inspections Performed	13	14	11	19	72.7%	8.0	-	22.0	201	25
Home Visit Inspections Performed	11	25	50	30	-40.0%	17.1	-	71.0	427	25
Hydrants Inspected	25	20	18	20	11.1%	14.3	-	34.0	358	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	5	2	4	100.0%	2.5	-	5.0	62	25
Fire Prevention Presentations	0	1	1	1	0.0%	1.4	-	15.0	35	25
Smoke Detectors Installed	14	15	3	0	-100.0%	5.8	-	20.0	145	25
Battalion Training (Hours)	2	4	5	5	0.0%	2.5	-	6.0	61.45	25
Company Training (Hours)	15	17	15	14.15	-5.7%	6.3	-	17.0	158.65	25
Total Time in Service	114.45	83	62	65.45	5.6%	64.5	40.3	114.5	1611.72	25
<b>Truck 12</b>										
Total Responses	81	68	62	62	0.0%	76.4	49.0	116.0	1911	25
EMS Response	41	28	9	30	233.3%	34.1	9.0	74.0	853	25
Building Inspections Performed	2	2	6	4	-33.3%	5.3	1.0	12.0	132	25
Home Visit Inspections Performed	54	61	62	62	0.0%	38.8	-	113.0	970	25
Hydrants Inspected	47	33	50	47	-6.0%	35.6	-	85.0	891	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	3	2	3	50.0%	2.6	2.0	4.0	64	25
Fire Prevention Presentations	1	0	0	0	0.0%	0.7	-	6.0	18	25
Smoke Detectors Installed	17	4	19	12	-36.8%	12.2	-	38.0	304	25
Battalion Training (Hours)	10	6	13	9	-30.8%	7.0	2.0	13.0	174.5	25
Company Training (Hours)	15	12.3	8.3	8	-3.6%	11.0	6.3	17.0	275.35	25
Total Time in Service	66.5	59	69.3	60.2	-13.1%	66.2	46.3	120.3	1655.9	25
<b>Truck 15</b>										
Total Responses	133	156	126	115	-8.7%	131.1	101.0	183.0	3277	25
EMS Response	66	104	66	61	-7.6%	72.0	51.0	104.0	1799	25
Building Inspections Performed	10	8	10	7	-30.0%	15.5	-	75.0	388	25
Home Visit Inspections Performed	48	11	15	18	20.0%	30.1	-	99.0	753	25
Hydrants Inspected	90	44	48	51	6.3%	35.0	-	90.0	874	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.2	1.0	4.0	55	25
Fire Prevention Presentations	3	0	0	0	0.0%	1.6	-	13.0	39	25
Smoke Detectors Installed	0	0	1	0	-100.0%	11.8	-	43.0	296	25
Battalion Training (Hours)	6	2	9	4	-55.6%	3.1	-	9.0	76.35	25
Company Training (Hours)	6	8	3.3	7	112.1%	4.8	1.0	11.3	121.2	25
Total Time in Service	115.25	83.2	69.05	73.5	6.4%	72.5	10.6	115.3	1812.29	25



## CITISTAT

REPORTING PERIOD: AUGUST 29, 2001 THROUGH SEPTEMBER 11, 2001

## FIRE SUPPRESSION (TRUCKS)

TRUCK RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	07/18-07/31	08/01-08/14	08/15-08/28	08/29-09/11		Average	Minimum	Maximum	Total	Periods
<b>Truck 16</b>										
Total Responses	93	137	115	142	23.5%	129.3	93.0	152.0	3232	25
EMS Response	41	71	48	67	39.6%	55.4	41.0	71.0	1386	25
Building Inspections Performed	1	4	5	2	-60.0%	6.2	1.0	18.0	156	25
Home Visit Inspections Performed	14	16	13	34	161.5%	27.6	-	153.0	689	25
Hydrants Inspected	63	56	72	64	-11.1%	42.7	-	100.0	1068	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.5	2.0	4.0	63	25
Fire Prevention Presentations	0	0	0	0	0.0%	1.2	-	9.0	31	25
Smoke Detectors Installed	0	0	2	0	-100.0%	3.3	-	18.0	82	25
Battalion Training (Hours)	2	3	5	3	-40.0%	3.7	-	10.3	91.45	25
Company Training (Hours)	4	4	4	3	-25.0%	5.1	2.0	10.3	127	25
Total Time in Service	153.1	81.05	59	54.5	-7.6%	76.0	47.6	153.1	1900.2	25
<b>Truck 18</b>										
Total Responses	79	77	65	50	-23.1%	68.8	50.0	106.0	1721	25
EMS Response	42	36	30	30	0.0%	34.8	21.0	45.0	871	25
Building Inspections Performed	3	6	6	6	0.0%	9.8	-	51.0	244	25
Home Visit Inspections Performed	120	69	60	68	13.3%	80.7	-	197.0	2017	25
Hydrants Inspected	66	60	63	57	-9.5%	50.3	-	93.0	1257	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	3	2	4	100.0%	2.6	2.0	4.0	64	25
Fire Prevention Presentations	0	1	1	0	-100.0%	3.0	-	14.0	74	25
Smoke Detectors Installed	14	25	24	0	-100.0%	18.3	-	50.0	457	25
Battalion Training (Hours)	10	16	20.15	13	-35.5%	10.7	4.0	20.2	266.65	25
Company Training (Hours)	11.3	21.45	14	14.3	2.1%	15.8	7.5	24.0	395.85	25
Total Time in Service	78.2	81.25	80.05	64.2	-19.8%	75.9	61.4	103.6	1898.56	25
<b>Truck 20</b>										
Total Responses	39	46	32	30	-6.3%	39.4	25.0	52.0	986	25
EMS Response	13	17	17	11	-35.3%	16.0	7.0	22.0	400	25
Building Inspections Performed	9	11	7	8	14.3%	7.7	-	17.0	192	25
Home Visit Inspections Performed	98	103	71	81	14.1%	71.6	-	190.0	1790	25
Hydrants Inspected	35	37	36	37	2.8%	32.2	-	63.0	806	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.4	2.0	3.0	61	25
Fire Prevention Presentations	0	0	0	0	0.0%	0.5	-	3.0	12	25
Smoke Detectors Installed	0	6	5	0	-100.0%	6.7	-	26.0	167	25
Battalion Training (Hours)	2	9.3	8	10	25.0%	6.5	1.0	14.0	162.9	25
Company Training (Hours)	11	19.3	11.3	12	6.2%	12.7	4.0	31.0	318.7	25
Total Time in Service	81.3	68.3	45.45	53.15	16.9%	53.9	35.5	81.3	1346.96	25
<b>Truck 21</b>										
Total Responses	36	34	30	31	3.3%	26.7	16.0	36.0	667	25
EMS Response	10	13	9	8	-11.1%	8.2	4.0	14.0	205	25
Building Inspections Performed	4	2	4	5	25.0%	4.8	-	18.0	119	25
Home Visit Inspections Performed	29	18	23	19	-17.4%	34.9	-	137.0	872	25
Hydrants Inspected	22	22	22	22	0.0%	46.3	-	191.0	1158	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	2	0.0%	2.4	1.0	4.0	61	25
Fire Prevention Presentations	0	1	0	0	0.0%	1.1	-	5.0	27	25
Smoke Detectors Installed	2	0	4	1	-75.0%	4.9	-	14.0	122	25
Battalion Training (Hours)	4	4	3	7	133.3%	8.1	3.0	18.0	202.5	25
Company Training (Hours)	13	15.3	14	10	-28.6%	16.1	2.3	23.3	401.8	25
Total Time in Service	100.15	56.17	40.4	42.35	4.8%	57.1	34.5	100.2	1428.22	25



## CITISTAT

REPORTING PERIOD: AUGUST 29, 2001 THROUGH SEPTEMBER 11, 2001

## FIRE SUPPRESSION (TRUCKS)

TRUCK RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	07/18-07/31	08/01-08/14	08/15-08/28	08/29-09/11		Average	Minimum	Maximum	Total	Periods
<b>Truck 23</b>										
Total Responses	65	93	61	45	-26.2%	57.5	43.0	93.0	1437	25
EMS Response	24	56	27	19	-29.6%	22.4	10.0	56.0	560	25
Building Inspections Performed	7	7	9	8	-11.1%	6.0	-	14.0	151	25
Home Visit Inspections Performed	21	22	0	0	0.0%	20.8	-	98.0	521	25
Hydrants Inspected	33	44	37	35	-5.4%	24.3	-	55.0	607	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	3	50.0%	2.2	-	6.0	55	25
Fire Prevention Presentations	1	0	0	0	0.0%	0.5	-	2.0	13	25
Smoke Detectors Installed	0	7	2	6	200.0%	4.4	-	22.0	109	25
Battalion Training (Hours)	6	6	12	7	-41.7%	4.3	-	12.0	106.45	25
Company Training (Hours)	9	10	7	10	42.9%	10.6	3.0	28.0	265.3	25
Total Time in Service	102	75.15	68.3	53	-22.4%	63.4	40.2	102.0	1584.98	25
<b>Truck 25</b>										
Total Responses	65	53	40	63	57.5%	52.3	40.0	69.0	1307	25
EMS Response	21	18	9	14	55.6%	11.0	4.0	21.0	275	25
Building Inspections Performed	8	0	12	3	-75.0%	6.4	-	20.0	161	25
Home Visit Inspections Performed	97	19	85	88	3.5%	71.6	-	141.0	1791	25
Hydrants Inspected	66	61	66	62	-6.1%	44.3	-	70.0	1107	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	2	0.0%	2.0	1.0	3.0	51	25
Fire Prevention Presentations	1	0	0	0	0.0%	2.3	-	25.0	58	25
Smoke Detectors Installed	3	0	2	7	250.0%	2.0	-	9.0	51	25
Battalion Training (Hours)	4	5	6.3	3	-52.4%	5.7	2.0	10.0	143	25
Company Training (Hours)	7	7.3	8	8	0.0%	8.8	4.0	15.4	219.25	25
Total Time in Service	53.3	43	51.15	55.45	8.4%	53.2	36.6	72.3	1331.21	25
<b>Truck 26</b>										
Total Responses	55	57	46	50	8.7%	56.2	40.0	80.0	1406	25
EMS Response	26	28	24	26	8.3%	26.0	16.0	37.0	651	25
Building Inspections Performed	7	4	4	4	0.0%	9.6	-	23.0	241	25
Home Visit Inspections Performed	57	56	38	45	18.4%	57.4	-	140.0	1435	25
Hydrants Inspected	44	40	48	48	0.0%	41.0	-	98.0	1026	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	3	3	0.0%	2.3	-	4.0	57	25
Fire Prevention Presentations	2	0	0	0	0.0%	0.8	-	7.0	19	25
Smoke Detectors Installed	2	0	25	7	-72.0%	15.9	-	88.0	398	25
Battalion Training (Hours)	2	6	2	1.3	-35.0%	3.9	-	8.0	98.2	25
Company Training (Hours)	10	8	12	13	8.3%	8.9	3.0	14.3	221.45	25
Total Time in Service	80.15	51.15	46	46.15	0.3%	56.3	37.2	80.2	1408.26	25
<b>Truck 27</b>										
Total Responses	44	57	48	42	-12.5%	52.7	42.0	69.0	1318	25
EMS Response	20	27	24	16	-33.3%	23.2	16.0	29.0	579	25
Building Inspections Performed	3	8	13	4	-69.2%	4.7	-	13.0	118	25
Home Visit Inspections Performed	28	21	20	9	-55.0%	28.0	-	115.0	699	25
Hydrants Inspected	50	31	45	50	11.1%	35.2	-	104.0	880	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.3	2.0	3.0	58	25
Fire Prevention Presentations	0	2	1	0	-100.0%	1.0	-	11.0	25	25
Smoke Detectors Installed	2	0	0	0	0.0%	3.0	-	17.0	75	25
Battalion Training (Hours)	8	14	14	16	14.3%	11.8	4.0	51.0	294.2	25
Company Training (Hours)	9	9	7	10	42.9%	8.6	4.0	16.3	214.2	25
Total Time in Service	69.1	61.3	55	50.3	-8.5%	52.6	31.0	74.6	1314.62	25



## CITISTAT

REPORTING PERIOD: AUGUST 29, 2001 THROUGH SEPTEMBER 11, 2001

## FIRE SUPPRESSION (TRUCKS)

TRUCK RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	07/18-07/31	08/01-08/14	08/15-08/28	08/29-09/11		Average	Minimum	Maximum	Total	Periods
<b>Truck 29</b>										
Total Responses	73	73	63	63	0.0%	74.7	60.0	95.0	1868	25
EMS Response	25	30	25	31	24.0%	28.2	16.0	44.0	706	25
Building Inspections Performed	2	3	4	4	0.0%	3.4	-	15.0	86	25
Home Visit Inspections Performed	50	16	66	52	-21.2%	34.6	-	173.0	865	25
Hydrants Inspected	41	41	41	41	0.0%	28.4	-	47.0	711	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	3	50.0%	2.2	1.0	4.0	56	25
Fire Prevention Presentations	0	0	0	0	0.0%	0.6	-	3.0	14	25
Smoke Detectors Installed	29	4	3	11	266.7%	13.7	-	63.0	343	25
Battalion Training (Hours)	8	6	5	6	20.0%	6.1	-	9.0	151.45	25
Company Training (Hours)	7	4	7	3	-57.1%	5.4	2.0	14.0	134	25
Total Time in Service	72	53.3	51.3	52.3	1.9%	53.1	23.2	72.0	1328.61	25
<b>Truck 30</b>										
Total Responses	75	37	25	30	20.0%	48.1	25.0	75.0	1202	25
EMS Response	44	23	7	17	142.9%	25.9	7.0	45.0	647	25
Building Inspections Performed	7	5	7	8	14.3%	5.1	-	16.0	127	25
Home Visit Inspections Performed	33	44	56	70	25.0%	54.4	-	133.0	1359	25
Hydrants Inspected	41	43	51	44	-13.7%	33.3	-	63.0	832	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.1	1.0	4.0	53	25
Fire Prevention Presentations	0	0	0	0	0.0%	0.9	-	5.0	22	25
Smoke Detectors Installed	7	2	12	7	-41.7%	4.9	-	12.0	123	25
Battalion Training (Hours)	8	6	6	4	-33.3%	7.4	4.0	13.0	185	25
Company Training (Hours)	15	12	16	14	-12.5%	14.9	8.0	28.0	371.5	25
Total Time in Service	73.45	52	48	50.3	4.8%	57.1	39.2	84.5	1426.63	25
<b>Aerial Tower 102</b>										
Total Responses	65	98	84	69	-17.9%	96.7	65.0	116.0	2418	25
EMS Response	23	56	50	41	-18.0%	37.6	23.0	56.0	939	25
Building Inspections Performed	2	4	6	5	-16.7%	7.3	2.0	34.0	182	25
Home Visit Inspections Performed	14	0	15	4	-73.3%	15.3	-	42.0	382	25
Hydrants Inspected	37	37	37	37	0.0%	29.0	-	44.0	724	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.4	1.0	6.0	61	25
Fire Prevention Presentations	3	0	0	1		1.1	-	5.0	27	25
Smoke Detectors Installed	0	0	0	0	0.0%	0.8	-	4.0	21	25
Battalion Training (Hours)	4	5	5	2	-60.0%	3.8	2.0	10.0	95.1	25
Company Training (Hours)	1	4	9	8	-11.1%	5.5	1.0	10.0	136.9	25
Total Time in Service	137.15	71.2	53	50.2	-5.3%	63.4	39.5	137.2	1584.43	25



## CITISTAT

REPORTING PERIOD: AUGUST 29, 2001 THROUGH SEPTEMBER 11, 2001

## EMERGENCY MEDICAL SERVICES (EMS)

EMS RESPONSES	2 - WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	07/18-07/31	08/01-08/14	08/15-08/28	08/29-09/11		Average	Minimum	Maximum	Total	Periods
Medic 1 - Total Responses	227	249	229	255	11.4%	246.7	213.0	282.0	6168	25
Medic 2 - Total Responses	166	180	161	144	-10.6%	145.7	123.0	180.0	3643	25
Medic 3 - Total Responses	201	224	215	229	6.5%	191.0	160.0	234.0	4774	25
Medic 4 - Total Responses	219	273	274	291	6.2%	257.4	219.0	291.0	6436	25
Medic 5 - Total Responses	175	195	186	182	-2.2%	191.1	158.0	222.0	4778	25
Medic 6 - Total Responses	169	197	185	176	-4.9%	180.0	151.0	267.0	4501	25
Medic 7 - Total Responses	254	271	258	251	-2.7%	251.2	210.0	281.0	6281	25
Medic 8 - Total Responses	193	227	203	218	7.4%	210.0	176.0	247.0	5249	25
Medic 9 - Total Responses	170	179	165	160	-3.0%	163.8	137.0	209.0	4094	25
Medic 10 - Total Responses	270	276	238	270	13.4%	247.0	207.0	288.0	6174	25
Medic 11 - Total Responses	191	219	206	197	-4.4%	190.9	147.0	226.0	4772	25
Medic 12 - Total Responses	196	195	194	191	-1.5%	193.5	159.0	231.0	4837	25
Medic 13 - Total Responses	170	205	181	181	0.0%	174.6	143.0	205.0	4364	25
Medic 14 - Total Responses	162	179	192	158	-17.7%	161.8	102.0	192.0	4044	25
Medic 15 - Total Responses	263	284	262	254	-3.1%	247.7	174.0	284.0	6193	25
Medic 16 - Total Responses	231	259	242	246	1.7%	253.0	211.0	285.0	6324	25
Medic 17 - Total Responses	224	246	241	224	-7.1%	211.7	197.0	246.0	5541	25
Medic 18 - Total Responses	141	160	151	145	-4.0%	147.8	115.0	173.0	3694	25
Medic 19 - Total Responses	176	184	188	195	3.7%	165.8	121.0	208.0	4144	25
Medic 20 - Total Responses	163	226	199	167	-16.1%	168.0	150.0	226.0	4445	25
Medic 21 - Total Responses	262	240	239	238	-0.4%	229.3	182.0	273.0	5732	25
Medic 22 - Total Responses	206	256	241	248	2.9%	233.6	206.0	256.0	5840	25
Ambo 41 - Total Responses	7	16	5	22	340.0%	10.3	1.0	27.0	258	25
Ambo 42 - Total Responses	17	15	1	17	1600.0%	10.5	1.0	24.0	263	25
Ambo 43 - Total Responses	18	25	3	26	766.7%	13.9	2.0	31.0	347	25
Ambo 44 - Total Responses	12	17	3	20	566.7%	11.4	-	28.0	284	25



## CITISTAT

REPORTING PERIOD: AUGUST 29, 2001 THROUGH SEPTEMBER 11, 2001

## HAZMAT

HAZMAT RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	07/18-07/31	08/01-08/14	08/15-08/28	08/29-09/11		Average	Minimum	Maximum	Total	Periods
Total Responses	11	4	3	4	33.3%	3.8	1.0	11.0	94	25
Spills/Ground	5	1	2	3	50.0%	2.3	-	5.0	58	25
Spills/Water	1	1	0	0	0.0%	0.2	-	1.0	4	25
Unusual Odor	2	0	0	1		0.5	-	3.0	12	25
Release to Atmosphere	1	1	1	0	-100.0%	0.2	-	1.0	4	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	0	0	0	0.0%	2.6	-	28.0	64	25
Fire Prevention Presentations	0	0	0	0	0.0%	0.2	-	4.0	4	25
Other	2	1	0	0	0.0%	0.4	-	2.0	11	25
Battalion Training(Hours)	0	2	2	6	200.0%	2.4	-	9.3	59.3	25
Company Training(Hours)	2	4	3	1	-66.7%	3.1	-	25.0	78	25
Total Time In Service	71.55	26.1	7.4	10.5	41.9%	14.7	0.3	71.6	366.7	25

## MARINE UNIT

RESPONSES					% CHANGE	YEAR-TO-DATE				
	07/18-07/31	08/01-08/14	08/15-08/28	08/29-09/11		Average	Minimum	Maximum	Total	Periods
Total Responses	7	17	13	7	-46.2%	7.6	-	17.0	189	25
EMS Responses	0	0	0	0	0.0%	0.6	-	5.0	16	25
Building Inspections Performed	6	6	6	6	0.0%	5.5	4.0	6.0	137	25
Home Visit Inspections	0	0	0	0	0.0%	-	-	-	0	25
Hydrant Inspections Performed	0	0	0	0	0.0%	-	-	-	0	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	6	6	6	6	0.0%	5.5	2.0	9.0	138	25
Fire Prevention Presentations	0	2	0	1		0.2	-	2.0	4	25
Smoke Detectors Installed	0	0	0	0	0.0%	-	-	-	0	25
Battalion Training(Hours)	4	4	4	4	0.0%	4.1	4.0	6.3	102.3	25
Company Training(Hours)	12	12	12	12	0.0%	11.9	8.0	14.0	298	25
Total Time in Service	66.25	56.1	37.3	35.15	-5.8%	33.7	20.6	66.3	843.01	25

## RESCUE 1

RESCUE RESPONSES					% CHANGE	YEAR-TO-DATE				
	07/18-07/31	08/01-08/14	08/15-08/28	08/29-09/11		Average	Minimum	Maximum	Total	Periods
Total Responses	28	43	31	38	22.6%	48.5	28.0	66.0	1213	25
EMS Responses	1	0	0	0	0.0%	0.7	-	4.0	18	25
Building Inspections Performed	6	9	8	5	-37.5%	6.4	-	20.0	160	25
Home Visit Inspections	0	0	0	0	0.0%	5.9	-	74.0	148	25
Hydrant Inspections Performed	30	30	30	35	16.7%	23.4	-	42.0	586	25
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	1	3	2	2	0.0%	3.2	1.0	10.0	79	25
Fire Prevention Presentations	1	0	0	0	0.0%	0.6	-	3.0	16	25
Smoke Detectors Installed	0	0	0	0	0.0%	0.3	-	3.0	8	25
Battalion Training(Hours)	0	6	4	2	-50.0%	5.2	-	28.0	130.6	25
Company Training(Hours)	2.3	10	7	19	171.4%	11.9	2.0	24.0	296.92	25
Total Time in Service	151.5	62.2	38.45	45.1	17.3%	60.9	35.3	151.5	1521.99	25



## CITISTAT

REPORTING PERIOD: AUGUST 29, 2001 THROUGH SEPTEMBER 11, 2001

## FIRE INSPECTION PERFORMANCE

Inspector Name	Assignment	2 -WEEK REPORTING PERIODS				% CHANGE	Annual Totals		
		07/18-07/31	08/01-08/14	08/15-08/28	08/29-09/11		FY01 (1 QTR )	FY2000	FY99
*1	Area Supervisor	71	65	0	0	0.0%	88	489	450
2	Area Supervisor	72	45	30	33	10.0%	215	1,019	not assigned
3	Public Assembly	118	152	130	76	-41.5%	238	1,545	1,015
4	District Inspector	4	14	10	13	30.0%	194	601	625
5	District Inspector	36	54	41	55	34.1%	294	1,072	1,025
**6	Day Care Homes	52	24	22	23	4.5%	202	771	1,034
7	District Inspector	0	0	14	35	150.0%	270	738	not assigned
8	District Inspector	0	66	55	58	5.5%	210	813	819
9	District Inspector	37	40	39	28	-28.2%	282	1,418	1,364
10	Public Assembly	133	87	165	79	-52.1%	311	1,653	1,510
***11	Health Care	40	57	19	0	-100.0%	192	882	744
12	District Inspector	50	25	48	27	-43.8%	207	709	685
13	Public Assembly	231	243	270	185	-31.5%	479	1,828	1,135
14	Assisted Living	21	20	37	9	-75.7%	137	649	710
15	Public Assembly	170	176	140	20	-85.7%	not assigned	not assigned	not assigned
16	Public Assembly	75	84	111	125	12.6%	not assigned	not assigned	not assigned

\* Lt. Pugh detailed to Combined Charities Campaign

\*\* F.I. Green conducting inspection training for suppression units

\*\*\* F.I. Stanley on extended vacation